

**WEST**

Generate Collection

Print

L10: Entry 3 of 7

File: USPT

Mar 26, 2002

DOCUMENT-IDENTIFIER: US 6361771 B1

TITLE: ARPE-19 as a platform cell line for encapsulated cell-based delivery

Detailed Description Text (61):

The capsule can be made from a biocompatible material. A "biocompatible material" is a material that, after implantation in a host, does not elicit a detrimental host response sufficient to result in the rejection of the capsule or to render it inoperable, for example through degradation. The biocompatible material is relatively impermeable to large molecules, such as components of the host's immune system, but is permeable to small molecules, such as insulin, growth factors, and nutrients, while allowing metabolic waste to be removed. A variety of biocompatible materials are suitable for delivery of growth factors by the composition of the invention. Numerous biocompatible materials are known, having various outer surface morphologies and other mechanical and structural characteristics. Preferably the capsule of this invention will be similar to those described by PCT International patent applications WO 92/19195 or WO 95/05452, incorporated by reference; or U.S. Pat. Nos. 5,639,275; 5,653,975; 4,892,538; 5,156,844; 5,283,187; or U.S. Pat. No. 5,550,050, incorporated by reference. Such capsules allow for the passage of metabolites, nutrients and therapeutic substances while minimizing the detrimental effects of the host immune system. Components of the biocompatible material may include a surrounding semipermeable membrane and the internal cell-supporting scaffolding. Preferably, the transformed cells are seeded onto the scaffolding, which is encapsulated by the permselective membrane. The filamentous cell-supporting scaffold may be made from any biocompatible material selected from the group consisting of acrylic, polyester, polyethylene, polypropylene polyacetonitrile, polyethylene terephthalate, nylon, polyamides, polyurethanes, polybutester, silk, cotton, chitin, carbon, or biocompatible metals. Also, bonded fiber structures can be used for cell implantation (U.S. Pat. No. 5,512,600, incorporated by reference). Biodegradable polymers include those comprised of poly(lactic acid) PLA, poly(lactic-coglycolic acid) PLGA, and poly(glycolic acid) PGA and their equivalents. Foam scaffolds have been used to provide surfaces onto which transplanted cells may adhere (PCT International patent application Ser. No. 98/05304, incorporated by reference). Woven mesh tubes have been used as vascular grafts (PCT International patent application WO 99/52573, incorporated by reference). Additionally, the core can be composed of an immobilizing matrix formed from a hydrogel, which stabilizes the position of the cells. A hydrogel is a 3-dimensional network of cross-linked hydrophilic polymers in the form of a gel, substantially composed of water.